K Hydrofend

The ultimate defense against the weather





Olympic Blue 777139
BINDING 503839



Meteor Grey 777130 BINDING 503830



Desert Beige 777133 BINDING 503833



Admiral Navy 777132 BINDING 503832



Iron Grey 777135 BINDING 503835



Military Tan 777131 BINDING 503831



Hunter Green 777147 BINDING 503847



Radiant Red 777145 BINDING 503845



Bronze Taupe 777136 BINDING 503836



Bold Black 777134 BINDING 503834



Deep Maroon 777137 BINDING 503837



Mahogany Brown 777141 BINDING 503841



Colors are representative only. Small variations in shade should be anticipated and are within commercial tolerances.





Exceptional Performance

- Excellent water repellency, durable against the elements
- Non-abrasive back is gel-coat friendly, helping protect watercraft, furniture, and more
- High tear & tensile strength
- Breathable for mold & mildew resistance
- Fade resistant
- Bleach cleanable
- Easy to tow on watercraft without wind-whipping
- Lightweight and easy to store without cracking
- Fabricates easily without fraying or damage, resisting puckering when sewn

5-Year Warranty*

This limited warranty covers the fabric becoming unserviceable because of loss of color or strength from normal usage and exposure conditions, including sunlight, mildew, and atmospheric chemicals. This limited warranty coverage runs for 5 years* from the date of original installation. Consumer is responsible for normal care and cleaning of the fabric. The warranty covers fabric only and not improper installation. We will supply new fabric to replace the fabric that becomes unserviceable. The liability of Trivantage® or its affiliates is expressly limited to this warranty.

*3-year limited warranty for Deep Maroon and Radiant Red



Hydrofend is proudly made in the U.S.A.

Fabric Weight ASTM D3776	8oz/yard ²
Roll Size	100 yards (91 meters)
Finished Fabric Width ASTM D3774	60 inches (152cm)
Hydrostatic Test AATCC 127	79 inches (200cm)
Spray (Large) AATCC 22	100
Break Strength ASTM D5034	Warp: 375 pounds Fill: 345 pounds
Tear Strength ASTM D2261	Warp: 40 pounds Fill: 40 pounds
Circular Bend Stiffness ASTM D4032	5.09
Wyzenbeek Abrasion ASTM D4157	100,000 double rubs
Color Fastness to Light AATCC 2261	4-5 after 2,000 hours
Warranty	5 years (3 years for Deep Maroon and Radiant Red)
Mullen Burst ASTM D3786	200+ psi
Taber Abrasion ASTM D3884-09 (H-22 wheels, 1,000 gram load)	9,000 cycles
Water Vapor Transmission ASTM E96B	326 grams
Cold Crack -40°F, ASTM D1912	Pass



Need help?

Your customer care team is just a call or click away. 800.786.1876 trivantage.com

