

Architec 400® is an extremely strong
UV stabilized knitted shadecloth that has
been designed for large commercial tension
membrane structures and shade sails.



Architec 400° EXTRA HEAVY DUTY KNITTED SHADECLOTH

Architec 400® is tough under the sun

Architec 400[®] is a 400 gsm High Density Polyethylene (HDPE) fabric with an excellent weight to strength ratio. It has very good tensile strength and is extremely resistant to tearing.

Architec 400[®] incorporates the latest in ultra violet stabilizers from CIBA Specialty Products. These new generation stabilizers extend the UV life of the fabric so that Polyfab USA can now offer a 12 year warranty – the best industry warranty available (conditions apply). These new UV stabilizers also provide improved color consistency and colorfastness.

Introducing Ovalon™ our propriety monofilament yarn

Architec 400® contains no flat tape.

Instead it is made from a combination of monofilament yarn and our new Ovalon™ monofilament varn.

Ovalon™ provides excellent strength and has minimal stretch in both the Weft and Warp direction of the stitchpattern and will maintain its tension. It also provides very high UV protection of 90% and over.

With Ovalon™ you get the strength of monofilament yarns combined with the UV protection of tape.

Architec 400® is good under tension

Shade sails using **Architec 400**® should be well designed and engineered to hold the fabric under the tension it deserves.

The fabric should be supported by using appropriate strength poles and footings as determined by a professional engineer, and fabricated and installed by a qualified contractor in accordance with local building codes.

Architec 400[®] is easy to work with

Architec 400® has been pre-stented to reduce shrinkage and improve the stability of the fabric. This process improves the workability of the fabric during the fabrication and installation of the shade sails or shade structure.

Technical Specifications		WARP	WEFT
Breaking Force	lbf / 2 inch	231	426
Breaking Extension	%	89.1	92.6
Tear Resistance (Wing Tear)	lbf	73	74
Bursting Force (Steel Ball)	Mean Ibf		643
Bursting Pressure	Mean PSI		653

Available in: 12.5 feet (width) x 164 feet (length) Straight rolls (not folded)

Average weight: 12 oz. per square yard

Manufacturer reserves the right to modify specifications or colors without notice. All specification tolerances +/- 5%


		Mean UPF	Shade
Colors	UVR%	(Visual Light)%	Factor
Grape	90.1	14	82
Lime	94.3	20	87
Lemon	94.6	25	76
Berry	94.8	30	89
Orange	93.7	24	82
Aquamarine	90.7	11	73
Cappuccino	93.5	21	87
Midnight Green	95.7	13	91
Navy Blue	96.4	25	89
Porcelain	95.1	23	78
Slate Grey	96.1	23	94
Black	95.8	33	97







Grape



Lime




Lemon



Berry



Orange



Aguamarine



Cappuccino



Midnight Green



Navy Blue



Porcelain



Slate Grey



Note that actual colors may vary slightly from those shown.

Polyfab shadecloth has excellent fade resistance but all outdoor fabrics are subject to gradual fading over time.

Some colors have a tendency to fade more than others.

