

### Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 1 of 7

## 1 PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

California Soda Company  
355 Mandela Parkway  
Oakland, CA 94607


**Contact:** California Soda Company  
**Phone:** +1-510-444-6217

**Product Name:** Vinyl Protector  
**Revision Date:** 6/28/2015  
**Version:** 1  
**SDS Number:** 402  
**Common Name:** Silicone Emulsion  
**CAS Number:** MIXTURE  
**Chemical Family:** Polymethylsiloxane Emulsion  
**Chemical Formula:** \*\*\* PROPRIETARY \*\*\*  
**Emergency Phone:** +1-800-424-9300 (CHEMTREC)
























## 2 HAZARDS IDENTIFICATION

NFPA:  
HMIS III:

Health = 1, Fire = 0, Reactivity = 0  
H1/F0/PH0



HMIS III	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARDS	0
PERSONAL PROTECTION B   Safety Glasses, Gloves	

PERSONAL PROTECTION INDEX			
A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions
A	n	o	p
			
q	r	s	
			
t	u	w	y
			
z	Additional Information		
			

GHS Signal Word:  
WARNING

GHS Hazard Pictograms:



GHS Classifications:

### Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 2 of 7

Health, Serious Eye Damage/Eye Irritation, 2 A

**GHS Phrases:**

H319 - Causes serious eye irritation

**GHS Precautionary Statements:**

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337+313 - If eye irritation persists: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

### 3

#### COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients:**

Cas #	Percentage	Chemical Name
N/A	>95%	Proprietary, non-hazardous, non-regulated
78330-21-9	<5%	Alcohols, C11-14-iso-, C13-rich, ethoxylated

### 4

#### FIRST AID MEASURES

**Inhalation:** Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

**Skin Contact:** Take off contaminated clothing and shoes immediately. Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. If reddening develops and/or persists, obtain medical attention.

**Eye Contact:** Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses if present and easy to do so. If irritation persists, obtain medical attention.

**Ingestion:** Rinse mouth with water. Give 3-4 glasses of water or milk to dilute stomach contents. Do NOT induce vomiting. If vomiting occurs, give more water or milk. Never give anything by mouth to an unconscious person. If irritation develops and/or persists, seek medical attention.

**Most important symptoms and effects, both acute and delayed:**

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

**Indication of any immediate medical attention and special treatment needed:**

No data available.

### 5

#### FIRE FIGHTING MEASURES

**Flammability:** No data available

**Flash Point:** DNA

**Flash Point Method:** DNA

### Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 3 of 7

**Burning Rate:** No data available  
**Autoignition Temp:** No data available  
**LEL:** DNA  
**UEL:** DNA

**Extinguishing Media:**

Water Spray  
Carbon Dioxide  
Alcohol-Resistant Foam  
Dry Chemical

**Special Hazards Arising From the Substance or Mixture:**

Carbon Oxides  
Formaldehyde  
Silicon Oxides

**Advice for Firefighters:**

Firefighters should wear full-face, positive-pressure respirators.

**Further Information:**

If incinerated, may release toxic fumes.  
Use water spray to cool unopened containers.  
Do NOT use high volume water jet to extinguish fire, as the force of the water jet may cause fire to spread.  
See Section 7 for more information on safe handling.  
See Section 8 for more information on personal protection equipment.  
See Section 13 for disposal information.

**6****ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures:**

Use personal protective equipment.  
Keep from contacting skin or eyes.  
Avoid breathing vapors, mist or gas.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

**Environmental precautions:**

Prevent further release (leakage/spillage) if safe to do so.  
Do not allow product to enter drains.  
Do not allow to drain to environment.

**Methods and materials for containments and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).  
Place contaminated material into suitable, closed containers for disposal.  
Dispose of contaminated material according to Section 13.  
After spillage has been collected, area may be flushed with water or wet-brushed.  
Ensure adequate ventilation.

**Reference to other sections:**

Comply with federal, state and local regulations on reporting spills.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on proper disposal.

### Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 4 of 7

## 7 HANDLING AND STORAGE

- Handling Precautions:**
- Avoid breathing vapors or mist.
  - Avoid contact with eyes, skin, or clothing.
  - Use approved, original containers only.
  - Keep containers closed when not in use.
  - Do not expose containers to open flame, excessive heat, or direct sunlight.
  - Do not puncture or drop containers.
  - Handle with care and avoid spillage on the floor.
  - Keep material out of reach of children.
  - Keep material away from incompatible materials.
  - Wash thoroughly after handling.
  - Ensure adequate ventilation.
- Storage Requirements:**
- Keep away from heat, sparks and flames.
  - Do not store in direct sunlight.
  - Store away from strong acids, strong bases, strong oxidizing agents, strong reducing agents, Acid Chlorides, Acid Anhydrides and Chloroformates.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.
- Personal Protective Equip:**
- Eye/face protection:**  
When using material use safety glasses and gloves according to HMIS PP, B. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).
- Skin protection:**  
Handle with gloves made from Neoprene, Nitrile or Buna rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.
- Body Protection:**  
Chemically resistant gloves and safety glasses are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.
- Respiratory protection:**  
Full-face dust/vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.
- Control of environmental exposure:**  
Prevent leakage or spillage if safe to do so. Do not let material enter drains.

### Components with workplace control parameters:

Contains no substances with occupational exposure limit values.

## Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 5 of 7

### Biological occupational exposure limits:

Contains no substances with biological occupational exposure limits values.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Clear, Blue Liquid	<b>Odor:</b>	Mild
<b>Physical State:</b>	Liquid	<b>Molecular Formula:</b>	MIXTURE
<b>Odor Threshold:</b>	Not determined	<b>Solubility:</b>	100%
<b>Particle Size:</b>	No data available	<b>Softening Point:</b>	Not determined
<b>Spec Grav./Density:</b>	1.000 - 1.020 g/ml (8.35 - 8.51 lbs/gal)	<b>Percent Volatile:</b>	71.9%
<b>Viscosity:</b>	Not determined	<b>Heat Value:</b>	Not determined
<b>Sat. Vap. Conc.:</b>	DNA	<b>Freezing/Melting Pt.:</b>	< 0.0 °C (32.0 °F)
<b>Boiling Point:</b>	> 100.0 °C (212.0 °F)	<b>Flash Point:</b>	DNA
<b>Flammability:</b>	(solid, gas): Not determined	<b>Octanol:</b>	Not determined
<b>Partition Coefficient:</b>	Not determined	<b>Vapor Density:</b>	(air = 1): Not determined
<b>Vapor Pressure:</b>	(mm Hg @ 20 °C): Not determined	<b>VOC:</b>	DNA
<b>pH:</b>	@ 100%: 7.0	<b>Bulk Density:</b>	Not determined
<b>Evap. Rate:</b>	DNA	<b>Auto-ignition Temp:</b>	Not determined
<b>Molecular weight:</b>	MIXTURE	<b>UFL/LFL:</b>	DNA
<b>Decomp Temp:</b>	Not determined		

## 10 STABILITY AND REACTIVITY

<b>Stability:</b>	Product is stable under normal conditions.
<b>Conditions to Avoid:</b>	Incompatibilities, flames, ignition sources.
<b>Materials to Avoid:</b>	Strong acids, strong bases, strong oxidizing agents, strong reducing agents, Acid Chlorides, Acid Anhydrides and Chloroformates.
<b>Hazardous Decomposition:</b>	Carbon Oxides, Formaldehyde and Silicon Oxides.
<b>Hazardous Polymerization:</b>	Will not occur.

## 11 TOXICOLOGICAL INFORMATION

**Component(s):** Alcohols, C11-14-iso-, C13-rich, ethoxylated  
**CAS No(s):** 78330-21-9

**Acute Toxicity:**  
LD50 Oral - Rat: 500 - 2,000 mg/kg

**Skin Corrosion/Irritation:** Rabbit skin - Non-irritant.

**Serious Eye Damage/Eye Irritation:** Rabbit eyes - Risk of serious damage to eyes.

**Respiratory or Skin Sensitation:** No data available

**Germ Cell Mutagenicity:** No data available

**Carcinogenicity:**

### Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 6 of 7

**IARC:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

**ACGIH:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive Toxicity:** No data available

**Specific Target Organ Toxicity - Single Exposure:** No data available

**Specific Target Organ Toxicity - Repeated Exposure:** No data available

**Aspiration Hazard:** No data available

**Additional Information:**

Component: Alcohols, C11-14-iso-, C13-rich, ethoxylated

RTECS: YD4571000

**12****ECOLOGICAL INFORMATION**

**Component(s):** Alcohols, C11-14-iso-, C13-rich, ethoxylated

**CAS No(s):** 78330-21-9

**Toxicity:**

*Toxicity to fish:*

LC50 - *Leuciscus idus* (Ide): 1 - 10 mg/l (96 h)

*Toxicity to daphnia and other aquatic invertebrates:*

EC50 - *Daphnia*: 1 - 10 mg/l (48 h)

*Toxicity to algae:*

EC50 - Algae: 1 - 10 mg/l (72 h)

*Toxicity to bacteria:*

EC10 - Bacteria: > 10,000 mg/l (17 h)

**Persistence and Degradability:**

No data available

**Bioaccumulative potential:**

No data available

**Mobility in Soil:**

No data available

**Results of PBT and vPvB assessment:**

Not required/conducted

**Other Adverse Effects:**

### Vinyl Protector

SDS Number: 402

Revision Date: 6/28/2015

Page 7 of 7

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

#### 13 DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

#### 14 TRANSPORT INFORMATION

##### DOT (US)

Non-regulated material, liquid

##### IMDG

Non-regulated material, liquid

##### IATA

Non-regulated material, liquid

#### 15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

-----  
\*Alcohols, C11-14-iso-, C13-rich, ethoxylated (78330219 <5%) NJHS, PA, TSCA

REGULATORY KEY DESCRIPTIONS

-----  
NJHS = New Jersey Right to Know Hazardous Substances  
PA = PA Right-To-Know List of Hazardous Substances  
TSCA = Toxic Substances Control Act

#### 16 OTHER INFORMATION

##### Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that California Soda Company believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of California Soda Company's control, California Soda Company makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

##### Preparation Information:

GHS Conversion Services  
www.ghsconversionservices.com  
(414) 336-2546