SAFRSHADETM



~ 4%

Material Safety Data Sheet

Shadecloth Range

Page 1 of 2 Rev.1 08/12

Identification

Product NameSAFRSHADEUN NumberNot ApplicableOther NamesCommercial90FRHazchem CodeNot ApplicableProduct CodeRefer Product ProfileDangerous Goods ClassNot ApplicablePoisons ScheduleNot Applicable

Application Shadecloth for use in architectural tension structures, shade sails etc, where a

level of flame retardancy is required

Physical Description & Properties

Appearance Odourless knitted fabric Flashpoint Not applicable

in varying colours

Other proprietary pigments and additives

Melting point 140 °C (284 °F) Flammability limits Refer Product Profile

Vapour pressure Not applicable Solubility in water Insoluble

Specific Gravity 0.9

Other properties Ingredients

Chemical EntityCAS no.ProportionPolyethylene9002-88-4~ 85%Proprietary Flame Retardant Additives-~ 10%Hindered light amine stabiliser-~ 1%

Health Effects

Exposure

Ingestion This product is of a solid nature First Aid If necessary, seek medical

and should not be swallowed. advice.

Eye May irritate the eye from **First Aid** This product is of a solid nature

physical contact. and should not contact the eye.

Seek medical advice.

Skin This fabric may be fabricated **First Aid** If molten plastic contacts the skin,

using high temperature cool affected area rapidly under equipment - beware of molten cold, clean running water. Do not

material. peel molten plastic from skin.

Seek medical advice.

Inhalation Avoid fumes and or dust First Aid If affected by fumes or dust,

generated from, welding, remove to a clean well ventilated burning or dust from other area. If necessary, seek medical

handling advice

The information set out above has been compiled from supplier reference data including third party Material Safety Data Sheets. Gale Pacific believe that the information is accurate and reliable, though Gale Pacific does not make or give any warranty (other than implied by statue which may not be excluded) with respect to the information. By using this information, the user undertakes not to hold Gale Pacific liable or responsible in any way whatsoever in relation or consequential to such use.

FOR MORE INFORMATION - PLEASE CONTACT:

 Australia
 Gale Pacific Ltd. PO Box 892, Braeside, Victoria, 3195
 Phone +61 3 9518 3399
 Fax +61 3 9518 3398

 NZ
 Gale Pacific (NZ) Ltd. PO Box 15118, Aranui, Christchurch New Zealand
 Phone +64 3 373 9500
 Fax +64 3 373 9501

 UAE
 Gale Pacific FZE. PO Box 17696, Jebel Ali, Dubai
 Phone +971 4 881 7114
 Fax +971 4 881 7167

USA Gale Pacific Inc. PO Box 951509, Lake Mary, Florida, 32795-1509 Phone +1 407 333 1038 Fax +1 407 333 7716

SAFRSHADE

Material Safety Data Sheet

Shadecloth Range



Page 2 of 2 Rev.1 08/12

Precautions For Use

Exposure standards Not established

Engineering controls Fabricate in normal well ventilated areas, use additional ventilation or

exhaust extraction systems when welding of hot knife cutting.

Personal protection Use of general purpose protective gloves is recommended (but not

essential) when handling fabric. Wash hands after working with

fabric.

Flammability Fabric is combustible if sufficient flame is applied - but will have a low

level of flammability. Extinguish by using water spray or extinguisher

foam.

Environment Not hazardous to water. May not break down readily when exposed

to microbial attack during landfill disposal.

Storage Requirements

Storage Store in a cool dry area away from direct sunlight, halogens and

highly acidic substances.

Handling & transport Use caution when loading and unloading fabric from vehicles.

Refer to Product Profile for approximate roll weights.

Spills & Disposal The product is solid and therefore not subject to spillage.

Incinerate under controlled conditions according to local regulations or

dispose as an inert solid in a land fill according to local regulations.

Fire & Explosion The product may accumulate static charges which may cause an

incendiary electrical discharge.

Thermal decomposition temperature is approximately 280-300°C (536-572°F) combustion may produce carbon dioxide, carbon monoxide, oxides of nitrogen and sulphur as well as small quantities

of other organic chemicals.

OTHER INFORMATION

The resins and additives used in the material are not suitable for food contact.

CONTACT POINT

Marketing Manager - Commercial Fabrics

Telephone: (03) 9518 3333.

The information set out above has been compiled from supplier reference data including third party Material Safety Data Sheets. Gale Pacific believe that the information is accurate and reliable, though Gale Pacific does not make or give any warranty (other than implied by statue which may not be excluded) with respect to the information. By using this information, the user undertakes not to hold Gale Pacific liable or responsible in any way whatsoever in relation or consequential to such use.

FOR MORE INFORMATION - PLEASE CONTACT:

Australia Gale Pacific Ltd. PO Box 892, Braeside, Victoria, 3195
NZ Gale Pacific (NZ) Ltd. PO Box 15118, Aranui, Christchurch New Zealand
UAE Gale Pacific FZE. PO Box 17696, Jebel Ali, Dubai

USA Gale Pacific Inc. PO Box 951509, Lake Mary, Florida, 32795-1509

Phone +61 3 9518 3399 Phone +64 3 373 9500 Phone +971 4 881 7114

Phone +1 407 333 1038

Fax +61 3 9518 3398 Fax +64 3 373 9501 Fax +971 4 881 7167 Fax +1 407 333 7716